

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Previously Presented) A method of updating XML-schema-based data to conform to an updated XML schema, the method comprising:  
  
based on (a) a first XML schema that indicates a first structure of one or more first XML attributes, (b) one or more first values that correspond to said one or more first XML attributes, and (c) a correlation between said one or more first values and said one or more first XML attributes, generating first data that conforms to said first structure; and  
  
based on (a) said first data, (b) a set of one or more transformations, and (c) a correlation between one or more of said one or more first values and one or more second XML attributes, generating second data that conforms to a second structure of said one or more second XML attributes;  
  
wherein said second structure is indicated by a second XML schema that differs from said first XML schema.
2. (Previously Presented) A method of updating XML-schema-based data to conform to an updated XML schema, the method comprising:  
  
based on (a) a first XML schema that indicates a first structure of one or more first XML elements, (b) one or more first values that correspond to said one or more first XML elements, and (c) a correlation between said one or more first values and said one or more first XML elements, generating first data that conforms to said first structure; and

based on (a) said first data, (b) a set of one or more transformations, and (c) a correlation between one or more of said one or more first values and one or more second XML elements, generating second data that conforms to a second structure of said one or more second XML elements;

wherein said second structure is indicated by a second XML schema that differs from said first XML schema.

3. (Original) The method of Claim 2, wherein said one or more transformations are expressed in Extensible Stylesheet Language (XSL).
  4. (Original) The method of Claim 2, wherein said one or more first values are stored in one or more database tables.
  5. (Original) The method of Claim 2, further comprising:  
  
based on said first XML schema and one or more second values that correspond to said one or more first XML elements, generating third data that indicates said first structure and a correlation between said one or more second values and said one or more first XML elements; and  
  
based on said third data and said set of one or more transformations, generating fourth data that indicates said second structure and a correlation between one or more of said one or more second values and one or more of said one or more second XML elements;
- wherein said one or more second values differ from said one or more first values.

6. (Currently Amended) The method of Claim 2, further comprising:

based on a database table that corresponds to an XML element indicated by said first XML schema, generating a first Data Definition Language (DDL) statement that, when executed, will cause a database table that corresponds to said XML element to be created;  
executing said first DDL statement; and  
based on said second data, inserting one or more of said one or more first values into a database table that was generated as a result of executing said first DDL statement.

7. (Canceled)
8. (Original) The method of Claim 6, further comprising:  
generating a second DDL statement that, when executed, causes effects of said first DDL statement to be reversed.
9. (Original) The method of Claim 8, further comprising:  
determining whether an error has occurred in executing said first DDL statement; and  
in response to determining that said error has occurred, executing said second DDL statement.
10. (Original) The method of Claim 6, further comprising:  
generating one or more rollback statements that, when executed, cause said inserting to be reversed.
11. (Original) The method of Claim 10, further comprising:  
determining whether an error has occurred in said inserting; and

in response to determining that said error has occurred, executing said one or more  
rollback statements.

12. (Original) The method of Claim 2, further comprising:

based on said first XML schema and a third XML schema that indicates a third structure  
that is based on said first structure, generating a fourth XML schema that indicates  
said first structure and a correlation between one or more XML elements in said  
first structure and one or more XML elements in said third structure.

13. (Original) The method of Claim 2, further comprising:

based on an existing database table that corresponds to an XML element indicated by said  
first XML schema, generating a Data Definition Language (DDL) statement that,  
when executed, will cause a database table that corresponds to said XML element  
to be created;

after generating said DDL statement, performing steps comprising:

deleting said first XML schema; and

deleting said existing database table; and

after deleting said first XML schema, performing steps comprising:

registering said second XML schema with a database system;

executing said DDL statement; and

based on said second data, inserting one or more of said one or more first values  
into a database table that was generated as a result of executing said DDL  
statement.

14. (Previously Presented) A tangible computer-readable medium carrying one or more sequences of instructions which, when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 1.
15. (Previously Presented) A tangible computer-readable medium carrying one or more sequences of instructions which, when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 2.
16. (Previously Presented) A tangible computer-readable medium carrying one or more sequences of instructions which, when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 3.
17. (Previously Presented) A tangible computer-readable medium carrying one or more sequences of instructions which, when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 4.
18. (Previously Presented) A tangible computer-readable medium carrying one or more sequences of instructions which, when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 5.
19. (Previously Presented) A tangible computer-readable medium carrying one or more sequences of instructions which, when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 6.
20. (Canceled)

21. (Previously Presented) A tangible computer-readable medium carrying one or more sequences of instructions which, when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 8.
22. (Previously Presented) A tangible computer-readable medium carrying one or more sequences of instructions which, when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 9.
23. (Previously Presented) A tangible computer-readable medium carrying one or more sequences of instructions which, when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 10.
24. (Previously Presented) A tangible computer-readable medium carrying one or more sequences of instructions which, when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 11.
25. (Previously Presented) A tangible computer-readable medium carrying one or more sequences of instructions which, when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 12.
26. (Previously Presented) A tangible computer-readable medium carrying one or more sequences of instructions which, when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 13.
27. (Currently Amended) A method comprising:  
  
a procedure receiving an identity of an existing XML schema;

the procedure receiving an identity of an evolved XML schema that is a version of the existing XML schema that incorporates one or more modifications;

the procedure receiving a reference to a transformation set that indicates changes that, when made to instance documents that conform to the existing XML schema, will cause the instance documents to conform to the evolved XML schema;

the procedure reading data for different existing XML-schema-dependent instance documents, wherein the existing XML-schema-dependent instance documents ~~data~~ do not contain tags of the existing XML schema;

based on said data, the procedure generating, for each particular existing XML-schema-dependent instance document of the existing XML-schema-dependent instance documents, a corresponding XML-schema-independent instance document that contains both (a) the tags of the existing XML schema and (b) particular data from said particular existing XML-schema-dependent document, thereby generating XML-schema-independent instance documents that contain data from the existing XML-schema-independent instance documents and conform to the existing XML schema;

for each particular XML-schema-independent instance document of the XML-schema-independent instance documents, the procedure applying, to the particular XML-schema-independent instance document, one or more transformations in the transformation set, thereby producing evolved XML-schema-independent instance documents that conform to the evolved XML schema instead of the existing XML schema;

the procedure instructing the database server to execute one or more DDL statements to  
create evolved database structures that are based on the evolved XML schema;  
and

the procedure populating one or more columns of the evolved database structures with  
content values of column-corresponding XML elements that are contained in the  
evolved XML-schema-independent instance documents.

28. (Previously Presented) A tangible computer-readable medium carrying one or more  
sequences of instructions which, when executed by one or more processors, causes the  
one or more processors to perform the method recited in Claim 27.

29. (Currently Amended) A method comprising:  
receiving an identity of an existing XML schema;  
receiving an identity of an evolved XML schema that is a version of the existing XML  
schema that incorporates one or more modifications;  
receiving a reference to a transformation set that indicates changes that, when made to  
instance documents that conform to the existing XML schema, will cause the  
instance documents to conform to the evolved XML schema;  
reading data for different existing XML-schema-dependent instance documents, wherein  
the existing XML-schema-dependent instance documents ~~data~~ do not contain tags  
of the existing XML schema;  
based on said data, generating, for each particular existing XML-schema-dependent  
instance document of the existing XML-schema-dependent instance documents, a  
corresponding XML-schema-independent instance document that contains both



(a) the tags of the existing XML schema and (b) particular data from said particular existing XML-schema-dependent document, thereby generating XML-schema-independent instance documents that contain data from the existing XML-schema-independent instance documents and conform to the existing XML schema;

for each particular XML-schema-independent instance document of the XML-schema-independent instance documents, applying, to the particular XML-schema-independent instance document, one or more transformations in the transformation set, thereby producing evolved XML-schema-independent instance documents that conform to the evolved XML schema instead of the existing XML schema;

instructing the database server to execute one or more DDL statements to create evolved database structures that are based on the evolved XML schema; and  
populating one or more columns of the evolved database structures with content values of column-corresponding XML elements that are contained in the evolved XML-schema-independent instance documents.

30. (Previously Presented) A tangible computer-readable medium carrying one or more sequences of instructions which, when executed by one or more processors, causes the one or more processors to perform the method recited in Claim 29.